



TITLE:

Cover

AUTHOR(S):

---

CITATION:

Cover. The Review of Physical Chemistry of Japan 1974, 43(2)

ISSUE DATE:

1974-01-31

URL:

<http://hdl.handle.net/2433/46986>

RIGHT:

Vol. 43, 1973

No. 2

# THE - REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

## CONTENTS

<b>Kaoru Date</b> : Studies on the P-V-T Relations of Fluids at High Pressure III, The Compressibilities of Argon-Ammonia and Nitrogen-Ammonia Gaseous Mixture Systems.....	63
<b>Masaru Nakahara and Jiro Osugi</b> : Ionic Solutions under High Pressures V, Pressure Effects on the Walden Products and Hydration of $\text{Et}_4\text{N}^+$ and $\text{ClO}_4^-$ Ions in Water .....	71
<b>Tsutomu Asano and William J. le Noble</b> : "Void" and "Expansion" Volume Contributions to Reaction and Activation Volumes of Nearly Nonpolar Reactions .....	82
<b>Kaoru Date, Koichi Watanabe and Masahiko Uematsu</b> : Evaluation of P-V-T Properties Data, The Most Probable Values of Compressibility Factors of Gaseous Ethane and Ethene .....	92

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

# THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

**President:** Wasaburo Jono

**Members of Council:**

Toshio Maeda (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Elji Suito

**Board of Editors:**

J. Osugi (Chief) *Kyoto University*

R. Goto (Associate) *Kyoto Sangyo University*

E. Suito ( " ) *Kyoto University*

S. Shida *Yokohama University*

T. Kitagawa *Yokohama University*

H. Teranishi *Kyoto Technical University*

K. Suzuki *Ritsumeikan University*

K. Kuwata *University of Osaka*

S. Seki *University of Osaka*

T. Imoto *Osaka City University*

R. Fujishiro *Osaka City University*

T. Hayakawa *Prefectural University of Osaka*

Y. Kubokawa *Prefectural University of Osaka*

S. Tsuchihashi *University of Kobe*

T. Makita *University of Kobe*

S. Hasegawa *Okayama University*

K. Shimizu *Doshisha University*

H. Togawa *Doshisha University*

**Secretary:**

K. Hara, M. Nakahara

M. Nishimoto

January 31, 1974

**Communications to the Editor** should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

**Business Correspondences** should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

**Purchase Order** should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by


**THE PHYSICO-CHEMICAL SOCIETY OF JAPAN**

(Nippon Butsuri-Kagaku Kenkyu-Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA PRINTING CO., LTD., Kyoto, Japan

# KS TYPE SUPER-HIGH -PRESSURE APPARATUS



## Specification

- Sample Chamber Dimension: 20 × 20 × 20 mm
- Generating Pressure: 100,000 Kg/cm<sup>2</sup>
- Pressure up to 2,500 t

## DIA. Apparatus

- Cubic Anvil Apparatus
- Unique Pressing Mechanism for Complete Synchronization

**(Fluid Pressure up to 20,000Kg/cm<sup>2</sup>  
Solid Pressure up to 100,000Kg/cm<sup>2</sup>)**

- Super-High-Pressure Generator
- High-Pressure High-Temperature Apparatus
- High-Pressure Gauge
- Various Super-High-Pressure Systems



**KOBE STEEL**  
MACHINERY DIVISION

Tokyo Office: Tekko Building, 8-21-chome, Minamishinji, Chiyoda-ku, Tokyo, Japan Phone: Tokyo (03) 218-7111  
Düsseldorf Office: Immenmannstr. 10, 4000 Düsseldorf, West Germany Phone: (0211) 358020 354550  
New York Office: 529 Fifth Avenue, New York, N.Y. 10017, U.S.A. Phone: (212) 567-9710/6  
Chicago Office: 111 East Wacker Drive, Chicago, Ill. 60601, U.S.A. Phone: (312) 644-2235/9

# The Review of Physical Chemistry of Japan

Vol. 43, 1973

## CONTENTS

### No. 1

<b>Kaoru Date</b> : Studies on the <i>P-V-T</i> Relations of Fluids at High Pressure I .....	1
<b>Kaoru Date</b> : Studies on the <i>P-V-T</i> Relations of Fluids at High Pressure II .....	17
<b>Yasuhiko Matsubara, Kiyoshi Shimizu and Jiro Osugi</b> : The Transference Numbers of KCl Aqueous Solution under Pressure .....	24
<b>Masakatsu Ueno, Kiyoshi Shimizu and Jiro Osugi</b> : The Electrical Conductivity of $[\text{Co}(\text{NH}_3)_5\text{NO}_2]\text{SO}_4$ in Aqueous Solution under High Pressure .....	33
<b>Muneo Sasaki</b> : Kinetic and Equilibrium Studies on $\sigma$ -Complexes of 2,4,6-Trinitro- anisole and Picrylsuphonate with Sulphite Ion in Aqueous Solution .....	44
<b>Tadashi Makita, Yoshiyuki Tanaka and Akira Nagashima</b> : Evaluation and Correlation of Viscosity Data, The Most Probable Values of the Viscosity of Gaseous Methane .....	54

### No. 2

<b>Kaoru Date</b> : Studies on the <i>P-V-T</i> Relations of Fluids at High Pressure III, The Compressibilities of Argon-Ammonia and Nitrogen-Ammonia Gaseous Mix- ture Systems.....	63
<b>Masaru Nakahara and Jiro Osugi</b> : Ionic Solutions under High Pressures V, Pressure Effects on the Walden Products and Hydration of $\text{Et}_4\text{N}^+$ and $\text{ClO}_4^-$ Ions in Water .....	71
<b>Tsutomu Asano and William J. le Noble</b> : "Void" and "Expansion" Volume Contributions to Reaction and Activation Volumes of Nearly Nonpolar Reactions .....	82
<b>Kaoru Date, Koichi Watanabe and Masahiko Uematsu</b> : Evaluation of <i>P-V-T</i> Properties Data, The Most Probable Values of Compressibility Factors of Gaseous Ethane and Ethene .....	92

*Published by*

**THE PHYSICO-CHEMICAL SOCIETY OF JAPAN**  
*Faculty of Science, Kyoto University, Kyoto, Japan*

# KANEKA's

products and technologies shall be at your service

KANEKA has now firmly secured its leading position in Japan's chemical industry, and enjoys a high international reputation not only for its capability of offering unique, high-quality products in quick succession but also for its establishment of technical know-how in various field of technology. KANEKA's unique, high-quality products are as follows... "Kanealon," a self-extinguishing modacrylic fiber and is booming for its suitability and nonflammability for carpets, curtains and wigs. "Kane-Ace B," PVC modifier, is now in brisk world-wide demand. "PVC Dispersion Resin," "Heat Resistant PVC," "Expandable Polystyrene," and so on. A variety of epochal projects are now under way at our 10 laboratories far ahead in the same field both at home and abroad.

- \* KANEKA's per capita sales and profit are ranked as one of the highest among all chemical manufacturers in the world, thanks to our very high productivity.
- \* KANEKA's products have, for the most part, originated in its own laboratories.
- \* 55% of KANEKA's products have been developed on its hands for the first time in Japan.

## KANEKA


For further details, please write to:  
**KANEGAFUCHI CHEMICAL IND. CO., LTD.**


Head Office: (Asahi Shinbun Bldg.) 3, 2-chome, Nakanoshima, Kita-ku, Osaka, Japan  
Phone: Osaka (06) 202-1121

Tokyo Office: (Ohtemachi Bldg.) 4, 1-chome, Ohtemachi, Chiyoda-ku, Tokyo, Japan  
Phone: Tokyo (03) 216-1011

New York Office: PANAM Bldg., 37th Floor, 200 Park Avenue, New York, N.Y. 10017, U.S.A.  
Phone: (212) 973-4885

Europe Office: 4, Quasseldorf Berliner Allee 26, West Germany  
Phone: 12738





# DIAPHRAGM CELL TECHNOLOGY

(FOR CHLORINE-CAUSTIC ELECTROLYSIS PROCESS)

- BM-40 TYPE : 200KA
  - BM-50 TYPE : 250KA
- ) ARE NOW AVAILABLE

SIMPLE CONSTRUCTION, EASY  
AND ECONOMICAL OPERATION WITH HIGH  
CURRENT CAPACITY AND LOW CELL VOLTAGE

---

## PRODUCTS:

- NISSO FAMSO (FORMALDEHYDE DIMETHYL  
MERCAPTAL S-0 × 1 DE)
- NISSO DAMN (DIAMINOMALEONITRILE)
- NISSO-PB (LIQUID 1,2-POLYBUTADIENS)
- POLYETHERS (POLYPROPYLENE GLYCOL & OTHERS)
- TDI (TOLYENE DISSOC YANATE)
- AGRICULTURAL CHMICALS & FINE CHEMICALS etc.



**NIPPON SODA CO., LTD.**


Head Office: Ohtemachi, Tokyo, Japan  
Cable Address: "SODANIPPON" TOKYO



# HORIBA'S HIGH-PURITY SYNTHETIC CRYSTALS

for precision optical measurements  
of radiation, infrared, ultraviolet or laser beam.


## NaI (Tl) SCINTILLATOR



HORIBA, Ltd. has established a steady production line for large size crystals of greater than 12 inches by diameter in addition to conventional size crystals.

The photograph at right shows an NaI (Tl) Scintillator for use with scintillation camera. The large diameter NaI (Tl) scintillator enabled scintillation survey of an extensive area to be done in a drastically shorter time. HORIBA, Ltd. is ready to respond to your requirements for any purpose as for as the scintillators are concerned.

## INFRARED RAY OPTICAL CRYSTAL



Infrared ray optical crystal is formed from materials specially refined for optical crystals as melted and grown into a huge size ingot. Its uncontested high purity exact crystal lattice and transparency at the transmission range are universally acknowledged. The crystal is available in forms of prism, window or lense of either rough-polish or rough-cut block, or in a random size.

Materials: LiF, NaCl, KCl, KBr, CsI, AgCl, CaF<sub>2</sub>, KRS-5, etc.

## ELECTRO-OPTIC CRYSTAL



HORIBA, Ltd. is the first in Japan to have developed electro-optic crystal, known as DKDP single crystal especially for modulation of laser beam. The electro-optic effect of the crystal has been greatly expanded by replacing hydrogen in KDP crystal by its isotope, deuterium (maximum deuterium replacement: 99.7%).

### Electro-Optical Crystals

	Package Index A = 54518	Full Wave Package A = 54519	2 Co. Maximum Size
DKDP (Tl, PO <sub>3</sub> )	$\chi_r = 26 \pm 10 \text{ m}^2/\text{V}$	3.0KV	40 × 40 × 40mm
DKDP (Tl, PO <sub>3</sub> )	$\chi_r = 10 \pm 10 \text{ m}^2/\text{V}$	7.5KV	40 × 40 × 40mm
DKDP (Tl, PO <sub>3</sub> )	$\chi_r = 8.3 \pm 10 \text{ m}^2/\text{V}$	9.0KV	40 × 40 × 40mm

**HORIBA, Ltd. HORIBA**

Miyano Higashi, Kisshoin  
Minami-ku, Kyoto, Japan  
Phone: (075)-313-8121